


Product Line	CAKE DONUT DEPOSITOR
Model	Type B



TYPE B CAKE DONUT DEPOSITOR

Designed for quality cake donuts. Also makes excellent hushpuppies, loukoumades, falafel, ball-shaped fritters, and more, depending on the mix or recipe used.

Description

- Belshaw depositors, the industry standard for many years, are legendary for their precision and smoothness of operation - even after many years of use. Each depositor is engineered of durable gears, cams and trip arms to produce nearly identical volume and shape with every deposit.
- An adjustment dial allows you to choose a generous range of batter weight for each deposit.
- The Type B Depositor utilizes a hand crank to deposit at a rate up to 80 (or more) per minute. The internal workings of the Type B ensures a smooth turn of the crank handle and a well shaped deposit placed anywhere in the fryer. The service life of a Belshaw Type B is frequently measured in decades.

Standard features

(Apply to all models, unless otherwise specified)

- Aluminum alloy frame and arm assembly
- Hardened steel cams

- Bronze trip arms and bushings
- Aluminum hopper (Capacity 15 lbs/6.8 kg)
- Stainless steel and aluminum cylinder
- Deposit weight adjustment dial
- Crank handle
- Compatible with Belshaw Type B/Type F plungers and cylinders only

Options

- Frame only (no hopper)

Accessories

- Type B/F Column Mount (#0405)
- Wall Mount (#0406)
- Bracket Arm Height Adjuster (#0400)
- Plungers and cylinders

Plungers and Cylinders

- Plungers are available for rings, sticks, old fashions, crullers, krinkles and more.
- Plungers and cylinders are purchased separately. See [plunger selection guide](#) to choose your plunger.

SHIPPING DIMENSIONS

- Depositor (w/bracket arms if ordered): 19" x 21" x 26", 47 lbs (48 x 53 x 66 cm, 22 kg)
- Column mount (if ordered): 49" x 2" x 2", 14 lbs (36 x 5 x 5 cm, 7 kg)
- Freight class: 85
- (Estimate does not include plungers and cylinders)


ELECTRICAL

- No electrical power required

CERTIFICATIONS



Certified by NSF (C2)



(NOTE: Diagram includes plunger, cylinder and mounting bracket purchased separately)

MODEL SELECTION

Item Nbr.	Description Key	Options
B0001000	B-LB-W/O	Standard Type B depositor (plunger/cylinder not included)
0226CHS	B-LB-W/O-X	Standard Type B depositor frame only (no hopper)

Description Keys: **B=Type B** **LB=No mounting bracket** **W/O=No plunger/cylinder** **X=no hopper**

ACCESSORIES AND REPLACEMENT ITEMS

Item Nbr.	Description Key	Description
0405	COLUMN MOUNTING KIT	Column mount bracket kit, Type B or F
0406	WALL MT BRKT KIT	Wall mount bracket kit, Type B or F
0400	HEIGHT ADJ KIT	Bracket Arm Height Adjuster. Enables quick accurate adjustment to height of depositor. (For column mount only)
0290	HOPPER ASSY LG BORE	Hopper for Type B / Type F
0035SSAx[size]	CYL ASSY SS [size]	Cylinder for sizes up to 1-3/4" [insert size in inches]. Example: 0035SSAx1-3/4
0035SSBx[size]	CYL ASSY SS [size]	Cylinder for sizes from 1-7/8" or 2" [insert size in inches]. Example: 0035SSBx2

PLUNGERS AND CYLINDERS

Item Nbr.	Description Key	Description
For plungers, see plungers section. Each plunger must match a cylinder of the same size. Different plungers may be used with just one cylinder, provided all are the same size. For example, a 1-3/4" plunger can only be used with a 1-3/4" cylinder.		
0035SSAx[size]	CYL ASSY SS [size]	Cylinder for sizes up to 1-3/4" [insert size in inches]. Example: 0035SSAx1-3/4
0035SSBx[size]	CYL ASSY SS [size]	Cylinder for sizes 1-7/8" and larger [insert size in inches]. Example: 0035SSBx2

90 Years of Quality Donut & Bakery Equipment

www.belshaw.com



BELSHAW ADAMATIC BAKERY GROUP 814 44th St NW, Suite 103, Auburn, WA 98001
Phone 800.578.2547 • (+1)206.322.5474 **Customer Service** info@belshaw.com **Technical Support** service@belshaw.com
 ©2017 Specifications are subject to change **Current version available** from www.belshaw.com/retail




















an Ali Group Company



The Spirit of Excellence

Product Line	PLUNGERS / CYLINDERS
Model	for Type B / Type F Depositors

- Standard plunger sizes are 1-1/2" to 2" in diameter.
- Larger and smaller sizes can be made to order – contact parts@belshaw.com for price and availability.
- **Each plunger must be used with a cylinder of the same size.** For cylinder item numbers, see the bottom of the table below.

Plunger	Item Numbers	Description	Photo	Donut type
● Plain	7SS x1-1/2 7SS x1-5/8 7SS x1-3/4 7SS x1-7/8 7SS x2	For plain ring donuts (using standard cake donut mix); for 'Old Fashion' donuts (using Old Fashion mix).		
● Star	7SC-SS x1-1/2 7SC-SS x1-5/8 7SC-SS x1-3/4 7SC-SS x1-7/8 7SC-SS x2	For a ring donut with a more consistent, rounder hole than the plain plunger, with a star pattern around it.		
● French Cruller	7B-1009 x1-1/2 7B-1009 x1-5/8 7B-1009 x1-3/4 7B-1009 x1-7/8 7B-1009 x2	Use with French Cruller mix to make French Crullers. Use with standard cake donut mix to make 'French Cake' donuts that look similar, but without the eggy flavor and texture.		
● Krinkle	7F-1004 x1-1/2 7F-1004 x1-5/8 7F-1004 x1-3/4 7F-1004 x1-7/8 7F-1004 x2	Features eight distinctive ball shaped sections all joined together like a necklace. Sometimes known as Pon-de-Ring.		
● Ball Deposits up to 5 round donuts (or 'donut holes').	7G-1000-[code] <i>Call Belshaw to select size and obtain correct code. Must specify number and diameter of holes.</i>	Produces ball shaped donuts or 'donut holes'. With a compatible mix recipe, can also make other products such as hushpuppies, loukoumades, falafel, fish balls, and more.		
● Loukoumades	7G-1000-103C	The standard Loukoumades plunger, makes 3 per plunger stroke. 2" diameter, with 3 x 3/4" round holes		
● Hushpuppy	7G-1000-103DB	The standard Hushpuppy plunger, makes 3 per plunger stroke. 2" diameter, with 3 oval holes, each hole 7/8" by 1" across		
● Stick Deposits 1 or 2 stick donuts.	7H-1000-[code] (makes 1) 7H-1001-[code] (makes 2) <i>Call Belshaw to select size and obtain correct code. Must specify number and diameter of holes.</i>	Makes 1 or 2 stick donuts. The thickness of the donut will depend on the size of the slot and the length will depend on the dial setting of the depositor. (Setting 1 will be short, setting 2 or 3 will be longer)		
● Dunkerette	7-1025x1-3/4 <i>One size available only</i>	Plain plunger with a divider that forms 2 deposits, each approximately one half of a ring donut.		
Cylinder	Item Numbers	Description	Photo	Donut type
● Cylinders	035SSA x1-1/2 035SSA x1-5/8 035SSA x1-3/4 035SSB x1-7/8 035SSB x2	Plunger size and cylinder size must match. For example, a 1-3/4" plunger must always be used with a 1-3/4" cylinder. You can use multiple plungers with a single cylinder, if they are the same size.		ALL TYPES

90 Years of Quality Donut & Bakery Equipment

www.belshaw.com

ACCESSORIES FOR TYPE B AND TYPE F CAKE DONUT DEPOSITORS




Column Mount Bracket Kit

● The Column Mount supports Type B, F and F-YRD depositors. The column is usually mounted on the left side of a Belshaw Adamatic fryer. For mounting on the right, the Bracket Plate can be moved from the left to the right side. Fryer must be bolted to the floor. The full extension of the column mount is 42"/105cm, from the column to the actual donut drop.

Item Nbr #0405 (for Type B and Type F),


Item Nbr #P-1000 (Bracket Plate Kit, for non-Belshaw fryers—purchased separately)



Wall Mount Bracket Kit

● Supports Type B or F cake donut depositors, with precision screw for adjusting the angle of the depositor. Mounts to the wall behind or alongside fryer. Maximum extension 42"/105cm from wall to donut drop.


Item Nbr #0406



Bracket Arm Height Adjuster

● The Bracket Arm Height Adjuster precisely adjusts the height of your Type B, F or N cake donut depositor. The large turn screw adjustment is faster and more accurate than the Set Collar supplied with the standard mounting kits. Useful when making more than one type of cake donut. For column mount only.

Item Nbr #0400



Hopper


● Replacement aluminum hopper for Type B and Type F. Capacity 15 lbs (6.8 kg). Accepts Belshaw Cylinders into bottom opening. (Supplied standard with standard Type B and Type F machines)

Item Nbr #0290



Plungers and Cylinders

● A variety of plungers and cylinders are available for Type B and F depositors. (See following page for details)



90 Years of Quality Donut & Bakery Equipment

www.belshaw.com